






COMPACT PIPE BEVELLER




Max wall thickness up to 8 mm (0.32")



Pipe OD beveling up to 48 mm (1.89") up to 60.3 mm (2.37") /option/



ID 22-42 mm (0.87-1.65")
15.5-22 mm (0.61-0.87") /option/
42-58 mm (1.65-2.28") /option/



WWW.JEIUK.COM

Facing off

PB2 is a compact, handy pipe beveller that mills pipes made of carbon and stainless steel, aluminum alloys, and copper-nickels. The machine can face and bevel pipes from inner diameters (ID) of 22 mm (0.87") to outer diameters (OD) of 48 mm (1.89").

Small pipes from ID 15.5 mm (0.61") up to OD 30 mm (1.18") canb e beveled with optional small mandrel set.

PB2 is able to mill also larger pipes from ID 42 mm (1.65") up to OD 60.3 mm (2.37") by means of an optional extension set.

Its exceptionally narrow housing (only 48 mm wide) makes it perfectly suited to space restricted areas such as boiler water walls.

PRO-2 PB incorporates overload systems incl. wet multi-disk friction clutch to prevent gear damage if the tool gets stuck.





# STEEESEAST® TECHNICAL SPECIFICATIONS



### BATTERY DRIVE



### **ELECTRIC MOTOR**



## PNEUMATIC MOTOR




TECHNICAL SPECIFICATION	PB2-A	PB2-E	PB2-B
Air requirement	0.6 MPa (87 psi)	-	-
Air consumption	1400 l/min (50 CFM)	· <del>-</del> ·	_
Voltage		1 ~ 220-240 V, 50-60 Hz	18 V DC, 5.2 Ah
Power	800 W	1100 W	-
Connection	CEJN 410 DN 10.4 R 1/2" BSPT fitting for quick-coupling	Electrical plug	Battery connection
Nominal rotational speed	105 rpm	10-134 rpm (gear 1) 30-377 rpm (gear 2)	10-60 rpm (gear 1) 30-205 rpm (gear 2)
Pipe diameter	22 mm ID – 48 mm OD 15.5 mm ID – 30 mm OD* 42 mm ID – 60.3 mm OD**	22 mm ID – 48 mm OD 15.5 mm ID – 30 mm OD* 42 mm ID – 60.3 mm OD**	22 mm ID – 48 mm OD 15.5 mm ID – 30 mm OD* 42 mm ID – 60.3 mm OD**
Maximum pipe wall thickness	8 mm 3.5 mm*	8 mm 3.5 mm*	8 mm 3.5 mm*
Weight with motor	7.6 kg (17 lbs)	7.4 kg (16.5 lbs)	6.5 kg (14.5 lbs), includes battery

### \*With an optional small mandrel set (PB2-SMS).

# 

PB2 with electric motor



PB2 with pneumatic motor


438 mm

# STANDARD SHIPPING SET

- Beveling machine (without motor, tool bits)
- Metal box
- Standard self-centering expandable mandrel for pipe ID Ø 22-42 mm (0.87-1.65")
- 2 sets of jaws (NO. 4, 5), 3 sets of jaw blocks (no. 6, 7, 8) and 5 sets of springs (no. 4, 5, 6, 7, 8) for standard mandrel
- Tool bit holder
- Spring gauge
- Handle
- Coolant container with nozzle
- Set of tools

48 mm

Operator's manual513



PB2 with battery motor

<sup>\*\*</sup> With an optional extension set (PB2-ES).

# STEELSEASTR OPTIONAL ACCESSORIES





**Product Codes:** PB2-E/1-110 PB2-E/2-220









5.2 Ah battery Product Code: AKM-000088







Air preparation set Product Code: PB2-APS







NOZ-000071 for steel	0° facing tool bit short PB2-F040		
NOZ-000078 for stainless steel	0° facing tool bit short* PB2-F040155	25	
NOZ-000072 for steel	0º facing tool bit long PB2-F052		
NOZ-000079 for stainless steel	0° facing tool bit long* PB2-F052/55		
NOZ-000073 for steel	30° beveling tool bit PB2-B30	30°	
NOZ-000080 for stainless steel	30° beveling tool bit* PB2-B30/55	9	
NOZ-000074 for steel	37.5° beveling tool bit PB2-B375	37.5°	
NOZ-000081 for stainless steel	37.5° bevelling tool bit* PB2-B375/55	9	
NOZ-000075 for steel	45° beveling tool bit PB2-B45	45° 9g	
NOZ-000082 for stainless steel	45° beveling tool bit* PB2-B45/55		



